

1 / 1 0

Figure 1




Figure 2





Figure 3



Best Available Copy

Figure 4




Figure 5






Figure 6



3 / 10

Figure 7



4 / 1 0

Figure 8




Figure 9





Figure 10



6 / 10

Figure 11





Figure 12


The diagram illustrates a three-channel receiver system. On the left, three coils are labeled X (6), Y (5), and Z (12). The X coil has terminals X_S and X_F. The Y coil has terminals Y_F and Y_S. The Z coil has terminals Z_F and Z_S. A common terminal COM is connected to the Z_S terminal and is grounded. Each channel consists of a coupling capacitor C connected to the F (feedback) terminal (X_F, Y_F, or Z_F) and an amplifier (AMP) labeled 41a, 41b, and 41c respectively. The output of each amplifier is connected to a central block labeled 42, which is identified as the 'Receiving Selection Means'.

Figure 14

X



Y



Z






Figure 15


X



Y




Z



10/10

Figure 16



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☐ **FADED TEXT OR DRAWING**

☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.